



## SAFETY DATA SHEET

### ENVERROS FLOORSTAR BASEBOARD FINISH REMOVER

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ENVERROS FLOORSTAR BASEBOARD FINISH REMOVER

Other means of identification : not applicable

Recommended use : Maintenance Product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Inc.  
370 N. Wabasha Street  
St. Paul, Minnesota USA 55102  
1-800-352-5326

Emergency telephone : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 06/30/2014

#### SECTION 2. HAZARDS IDENTIFICATION

##### GHS Classification

Gases under pressure : Compressed gas

Skin irritation : Category 2

Eye irritation : Category 2A

Specific target organ systemic toxicity - single exposure : Category 3 (Respiratory system, Central nervous system)

##### GHS Label element

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Contains gas under pressure; may explode if heated.  
Causes skin irritation.  
Causes serious eye irritation.  
May cause respiratory irritation.  
May cause drowsiness or dizziness.

Precautionary Statements : **Prevention:**  
Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye protection/ face protection. Wear protective gloves. Intentional misuse by deliberate inhalation may be harmful or fatal.  
**Response:**  
IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor/ physician if you feel unwell. If skin irritation occurs: Get medical advice/ attention. If eye

## SAFETY DATA SHEET

### ENVERROS FLOORSTAR BASEBOARD FINISH REMOVER

irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

**Storage:**

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Store in a well-ventilated place.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards** : None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration (%)
2-butoxyethanol	111-76-2	10 - 30
ethanolamine	141-43-5	5 - 10
Aliphatic hydrocarbons	75-28-5	5 - 10
propane	74-98-6	1 - 5

### SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Get medical attention if irritation develops and persists.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.

See toxicological information (Section 11)

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Pressurized container: May burst if heated.

Hazardous combustion products : Decomposition products may include the following materials:  
Carbon oxides  
nitrogen oxides (NOx)  
Sulfur oxides  
Oxides of phosphorus

## SAFETY DATA SHEET

### ENVERROS FLOORSTAR BASEBOARD FINISH REMOVER

Special protective equipment for fire-fighters : Use personal protective equipment.

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Contents under pressure. Do not puncture. Wash hands thoroughly after handling.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 10 °C to 50 °C

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m <sup>3</sup>	NIOSH REL
		TWA	50 ppm 240 mg/m <sup>3</sup>	OSHA Z1
ethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m <sup>3</sup>	NIOSH REL
		STEL	6 ppm 15 mg/m <sup>3</sup>	NIOSH REL
		TWA	3 ppm 6 mg/m <sup>3</sup>	OSHA Z1
		TWA	800 ppm 1,900 mg/m <sup>3</sup>	NIOSH REL
Aliphatic hydrocarbons	75-28-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm	ACGIH

## SAFETY DATA SHEET

### ENVERROS FLOORSTAR BASEBOARD FINISH REMOVER

propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment

- Eye protection : Safety glasses with side-shields
- Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Skin protection : No special protective equipment required.
- Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : aerosol  
Compressed gas
- Color : clear, pink
- Odor : Perfumes, fragrances
- pH : 10.0 - 11.0, 100 %
- Flash point : not applicable, Does not sustain combustion.
- Odor Threshold : no data available
- Melting point/freezing point : no data available
- Initial boiling point and boiling range : no data available
- Evaporation rate : no data available
- Flammability (solid, gas) : no data available
- Upper explosion limit : no data available
- Lower explosion limit : no data available
- Vapor pressure : no data available
- Relative vapor density : no data available
- Relative density : 0.98
- Water solubility : no data available
- Solubility in other solvents : no data available
- Partition coefficient: n-octanol/water : no data available

## SAFETY DATA SHEET

### ENVERROS FLOORSTAR BASEBOARD FINISH REMOVER

Autoignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, kinematic	: no data available
Explosive properties	: no data available
Oxidizing properties	: no data available
Molecular weight	: no data available
VOC	: no data available
Heat of combustion	: 9.38 kJ/g

#### SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: Acids Bases Metals
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus

#### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Skin contact Eye contact
--	-------------------------------

##### Potential Health Effects

Eyes	: Causes serious eye irritation.
Skin	: Causes skin irritation.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: May cause respiratory tract irritation. May cause nose, throat, and lung irritation. Inhalation may cause central nervous system effects. Intentional misuse by deliberate inhalation may be harmful or fatal.
Chronic Exposure	: Health injuries are not known or expected under normal use.

##### Experience with human exposure

Eye contact	: Redness, Pain, Irritation
Skin contact	: Redness, Irritation

## SAFETY DATA SHEET

### ENVERROS FLOORSTAR BASEBOARD FINISH REMOVER

Ingestion : No symptoms known or expected.  
Inhalation : Respiratory irritation, Cough, Dizziness, Drowsiness

#### Toxicity

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Acute inhalation toxicity : 4 h Acute toxicity estimate : 6.3 mg/l

Acute dermal toxicity : Acute toxicity estimate : 4,552 mg/kg

Skin corrosion/irritation : no data available

Serious eye damage/eye irritation : no data available

Respiratory or skin sensitization : no data available

#### Carcinogenicity

IARC : No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA : No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP : No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT-single exposure : no data available

STOT-repeated exposure : no data available

Aspiration toxicity : no data available

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

#### Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

#### Ingredients

Toxicity to fish : 2-butoxyethanol  
96 h LC50: 1,474 mg/l

#### Ingredients

Toxicity to daphnia and other aquatic invertebrates : 2-butoxyethanol  
48 h EC50: 690 mg/l

## SAFETY DATA SHEET

### ENVERROS FLOORSTAR BASEBOARD FINISH REMOVER

ethanolamine  
48 h EC50 Daphnia : 65 mg/l

#### Ingredients

Toxicity to algae : 2-butoxyethanol  
72 h EC50: 911 mg/l

#### Persistence and degradability

no data available

#### Bioaccumulative potential

no data available

#### Mobility in soil

no data available

#### Other adverse effects

no data available

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

### SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (DOT)

UN number : 1950  
Description of the goods : Aerosols, non-flammable  
Class : 2.2  
Environmentally hazardous : no

#### Sea transport (IMDG/IMO)

UN number : 1950  
Description of the goods : AEROSOLS, NON-FLAMMABLE  
Class : 2.2  
Marine pollutant : no

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

## SAFETY DATA SHEET

### ENVERROS FLOORSTAR BASEBOARD FINISH REMOVER

This material does not contain any components with a section 304 EHS RQ.

- SARA 311/312 Hazards** : Acute Health Hazard  
Sudden Release of Pressure Hazard
- SARA 302** : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
- SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:
- |                 |          |        |
|-----------------|----------|--------|
| 2-butoxyethanol | 111-76-2 | 18.8 % |
|-----------------|----------|--------|

#### California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

**The ingredients of this product are reported in the following inventories:**

**1907/2006 (EU) :**  
not determined

#### Switzerland. New notified substances and declared preparations :

The mixture contains substances listed on the Swiss Inventory On the inventory, or in compliance with the inventory

**United States TSCA Inventory :**  
On TSCA Inventory

**Canadian Domestic Substances List (DSL) :**  
All components of this product are on the Canadian DSL.

**Australia Inventory of Chemical Substances (AICS) :**  
On the inventory, or in compliance with the inventory

**New Zealand. Inventory of Chemical Substances :**  
On the inventory, or in compliance with the inventory

**Japan. ENCS - Existing and New Chemical Substances Inventory :**  
On the inventory, or in compliance with the inventory

**Japan. ISHL - Inventory of Chemical Substances (METI) :**  
On the inventory, or in compliance with the inventory

**Korea. Korean Existing Chemicals Inventory (KECI) :**  
On the inventory, or in compliance with the inventory

**Philippines Inventory of Chemicals and Chemical Substances (PICCS) :**  
On the inventory, or in compliance with the inventory

**China. Inventory of Existing Chemical Substances in China (IECSC) :**  
On the inventory, or in compliance with the inventory


### SECTION 16. OTHER INFORMATION



# SAFETY DATA SHEET

## ENVERROS FLOORSTAR BASEBOARD FINISH REMOVER

### NFPA:



### HMIS III:

<b>HEALTH</b>	<b>2</b>
<b>FLAMMABILITY</b>	<b>1</b>
<b>PHYSICAL HAZARD</b>	<b>2</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 06/30/2014  
Version : 1.0  
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.